



Give your Signs and Banners
the Ultimate Wetsuit...



With the NEW
SEAL[®] Sign Coater System

Introducing the NEW Sign Coater System from SEAL®

– a low-cost liquid coating system for indoor/outdoor signs and banners.

The NEW SEAL Sign Coater applies a smooth and even finish, to enhance and protect graphics from UV, abrasion, water and chemicals. 'Crystal clear' protection is assured for up to two years.

No mess, no odor – this environmentally safe system is easy to clean after use and requires no special ventilation, making it totally safe in any working environment.

The SEAL Sign Coater Solution combines a 54" automated sheet-fed coater, with a clear coat system comprising a gloss liquid laminate and a cleaning agent.

No need to mop or spray in order to protect and enhance your graphics – use this quick and easy system for professional results, every time!

SEAL Sign Coater

Automate your graphic production with this uniquely effective coater for laminating signs and banners with ease.

- Capable of coating up to 54" prints
- Designed for use with prints using solvent and eco solvent (light solvent) based inks
- Adjustable nip setting to accommodate a variety of substrates including:
 - Banner Vinyl (8oz - 20oz)
 - Cast PSV
 - Calandared PSV
 - Canvas (250 - 310gm)
- Ideal for short to medium runs
- Supplied with a stand for easy mobility
- Quick to install - no special equipment, electronics, or ventilation system needed
- Very easy to operate - no special training required
- Simple cleaning - quick and easy 30 minute process when your job is complete, without removing any parts.



SEAL Sign Coater Applications

The SEAL Sign Coater System is ideal for short-term flexible graphics applied to flat and simple curves. It is not recommended for processing rigid graphics of any type.

Recommended applications include indoor and outdoor signs, banners, tradeshow graphics, illuminated signage, point-of-purchase, advertising graphics and short term fleet graphics.



SEAL Sign Coater Liquids

- Available in gloss finish
- Offers durability up to two years on uncoated cast, calendared or banner materials
- Environmentally friendly, odor-free formulation with low VOC levels
- Compatible with solvent and mild solvent ink technology
- Liquid is dry to the touch in 15- 30 minutes or less (varies according to material /substrate and environmental conditions) and is fully 'cured' within 48 hours
- One year shelf life
- Water-based formulation



1

Turn the SEAL Sign Coater on and fill the coating tray with liquid laminate



2


Place the image face down, feed through the coater and catch the laminated image as it exits.



3

Pull the laminated image over the top of the machine and lay on a flat surface to dry

When you have completed coating all of your images -follow the cleaning process in steps 4 to 6.



4

Turn the drain valve to the open position and recycle the Liquid Laminate back into the original container.



5

Close the drain valve and fill the tray with SEAL Cleaner. Allow to dwell for 10 minutes, open the drain valve and recycle the Cleaner back into the original container.



6

Close the drain valve and fill the tray with ordinary water to rinse. Allow to dwell for 10 minutes with the coater turned on and then open the drain valve to flush away.



Important note: the cleaning process needs to be completed only when you have finished using the coater and before the machine is switched off.

Technical Specifications

SEAL Sign Coater

Dimensions	65" x 11 5/8" x 6" (1.65m x 29.5cm x 15.25cm)
Shipping Dimensions	73" x 14" x 15" (1.85m x 35.5cm x 38cm)
Net Weight	75 lbs. (165 kg)
Shipping Weight	80 lbs. (176 kg)
Electrical	115 VAC/1A/60Hz and 220 VAC/1A/50Hz versions
Order Codes	63155 (115VAC) 63156 (220VAC)

Warranty: One year parts.

Note: Stand for the Sign Coater is shipped in a separate box.

SEAL Sign Coater & Clear Coat System

Product Code	Contents
63155	54" Automated Sheet Coater (115VAC)
63156	54" Automated Sheet Coater (220VAC)
62628	Clear Coat System (1 Gallon Liquid Laminate, 1 Gallon Cleaner)

Contact your Local SEAL Authorized Reseller:



Seal Graphics
Americas Corporation
7091 Troy Hill Drive
Elkridge, MD 21075
Tel: 410-379-5400
Fax: 410-579-8960

Seal Graphics Canada
1601 Matheson Blvd. E.
Mississauga, Ontario,
Canada, L4W 1H9
Tel: 905-212-9232
Fax: 905-212-9313

Visit us online at www.sealgraphics.com